



ISIS5300.ST25.txt  
SEQUENCE LISTING

<110> Baker, Brenda F.  
Eldrup, Anne B.  
Manoharan, Muthiah  
Bhat, Balkrishen  
Griffey, Richard H.  
Swayze, Eric E.  
Crooke, Stanley T.

<120> CHIMERIC OLIGOMERIC COMPOUNDS AND THEIR USE IN GENE MODULATION

<130> ISIS-5300

<140> US 10/701,265

<141> 2003-11-04

<150> US 10/078,949

<151> 2002-02-20

<150> US 09/479,783

<151> 2000-01-07

<150> US 08/870,608

<151> 1997-06-06

<150> US 08/659,440

<151> 1996-06-06

<150> US 60/423,760

<151> 2002-11-05

<150> US 60/503,271

<151> 2003-09-15

<160> 75

<170> PatentIn version 3.2

<210> 1

<211> 19

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 1

cgagaggcgg acgggaccg

19

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 2

cgagaggcgg acgggaccgt t

21

<210> 3

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 3  
cgggcccgtc cgcctctcgt t 21

<210> 4  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(3)  
<223> 2'-O-methoxyethyl

<220>  
<221> misc\_feature  
<222> (13)..(20)  
<223> 2'-O-methoxyethyl

<400> 4  
tccgtcatcg ctcctcaggg 20

<210> 5  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(5)  
<223> 2'-O-methoxyethyl

<220>  
<221> misc\_feature  
<222> (16)..(20)  
<223> 2'-O-methoxyethyl

<400> 5  
gtgcgcgcga gcccgaaatc 20

<210> 6  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(5)  
<223> 2'-O-methoxyethyl

<220>  
<221> misc\_feature  
<222> (16)..(20)  
<223> 2'-O-methoxyethyl

<400> 6  
atgcattctg cccccaagga 20

<210> 7  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<400> 7  
caaauccaga ggcuaagcagt t 21

<210> 8  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(5)  
<223> 2'-O-methyl

<400> 8  
cugcuagccu cuggauuugt t 21

<210> 9  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (2)..(6)  
<223> 2'-O-methyl

<400> 9  
cugcuagccu cuggauuugt t 21

<210> 10  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (3)..(7)  
<223> 2'-O-methyl

<400> 10  
cugcuagccu cuggauuugt t 21

```

<210> 11
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-O-methyl

<400> 11
cugcuagccu cuggauuugt t 21

<210> 12
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (5)..(9)
<223> 2'-O-methyl

<400> 12
cugcuagccu cuggauuugt t 21

<210> 13
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 13
cugcuagccu cuggauuugu u 21

<210> 14
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (8)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 14
cugcuagccu cuggauuugu u 21

```

<210> 15  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<400> 15  
 aaguaaggac cagagacaaa 20

<210> 16  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<400> 16  
 uuugucucug guccuacuu 20

<210> 17  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (18)..(20)  
 <223> 2'-O-methyl modified nucleoside

<400> 17  
 uuugucucug guccuacuu 20

<210> 18  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (15)..(17)  
 <223> 2'-O-methyl modified nucleoside

<400> 18  
 uuugucucug guccuacuu 20

<210> 19  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

```

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-O-methyl modified nucleoside

<400> 19
uuugucucug guccuuacuu                                20

<210> 20
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-O-methyl modified nucleoside

<400> 20
uuugucucug guccuuacuu                                20

<210> 21
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (6)..(8)
<223> 2'-O-methyl modified nucleoside

<400> 21
uuugucucug guccuuacuu                                20

<210> 22
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-O-methyl modified nucleoside

<400> 22
uuugucucug guccuuacuu                                20

<210> 23
<211> 20
<212> RNA
<213> Artificial Sequence

<220>

```

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (1)..(3)

<223> 2'-O-methyl modified nucleoside

<400> 23

uuugucucug guccuuacuu

20

<210> 24

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (1)..(5)

<223> 2'-O-methyl modified nucleoside

<400> 24

cugcuagccu cuggauuugu u

21

<210> 25

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 25

gucaaaucca gaggcua gca g

21

<210> 26

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (1)..(5)

<223> 2'-O-methyl modified nucleoside

<400> 26

cugcuagccu cuggauuuga c

21

<210> 27

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 27

cugcuagccu cuggauuuga c

21

```

<210> 28
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 28
caaauccaga ggcuagcagu u 21

<210> 29
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 29
cugcuagccu cuggauuugu u 21

<210> 30
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 30
cugcuagccu cuggauuugu u 21

<210> 31
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 31
caaauccaga ggcuagcagu u 21

<210> 32
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```

```

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 32
uuugucucug guccuuacuu                                20

<210> 33
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (14)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 33
uuugucucug guccuuacuu                                20

<210> 34
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (12)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 34
uuugucucug guccuuacuu                                20

<210> 35
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers with PO linkages

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers with PO linkages

<400> 35
cugcuagccu cuggauuuga                                20

<210> 36

```

<211> 20  
 <212> RNA  
 <213> Artificial Sequence  
 <220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(4)  
 <223> 2'-O-Me containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (17)..(20)  
 <223> 2'-O-Me containing monomers with PO linkages

<400> 36  
 cugcuagccu cuggauuuga

20

<210> 37  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence  
 <220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (2)..(3)  
 <223> PS linkage

<220>  
 <221> misc\_feature  
 <222> (4)..(7)  
 <223> 2'-O-Me containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (17)..(17)  
 <223> 2'-O-Me containing monomers with PO linkage

<220>  
 <221> misc\_feature  
 <222> (18)..(20)  
 <223> 2'-O-Me containing monomers with PS linkages

<400> 37  
 cugcuagccu cuggauuuga

20

<210> 38  
 <211> 17  
 <212> RNA  
 <213> Artificial Sequence  
 <220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc\_feature  
 <222> (2)..(4)  
 <223> 2'-O-Me containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (14)..(14)  
 <223> 2'-O-Me containing monomers with PO linkage

<220>  
 <221> misc\_feature  
 <222> (15)..(17)  
 <223> 2'-O-Me containing monomers with PS linkages

<400> 38  
 cuagccucug gauuuga

17

<210> 39  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (2)..(20)  
 <223> PS linkages

<220>  
 <221> misc\_feature  
 <222> (4)..(7)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (17)..(20)  
 <223> 2'-O-Me containing monomers

<400> 39  
 cugcuagccu cuggauuuga

20

<210> 40  
 <211> 17  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(4)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (2)..(17)  
 <223> monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (14)..(17)  
 <223> 2'-O-Me containing monomers

<400> 40  
cuagccucug gauuuga 17

<210> 41  
<211> 17  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> 2'-O-Me containing monomers

<220>  
<221> misc\_feature  
<222> (2)..(17)  
<223> monomers having PS linkages

<220>  
<221> misc\_feature  
<222> (14)..(17)  
<223> 2'-O-Me containing monomers

<400> 41  
gucucugguc cuuacuu 17

<210> 42  
<211> 17  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> 2'-O-Me containing monomers

<220>  
<221> misc\_feature  
<222> (2)..(17)  
<223> monomers with PS linkages

<220>  
<221> misc\_feature  
<222> (14)..(17)  
<223> 2'-O-Me containing monomers

<400> 42  
uuuugucucu gguccuu 17

<210> 43  
<211> 17  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<220>

<221> misc\_feature  
 <222> (1)..(4)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (2)..(17)  
 <223> monomers having PS linkages

<220>  
 <221> misc\_feature  
 <222> (14)..(17)  
 <223> 2'-O-Me containing monomers

<400> 43  
 cugguccuua cuucucc

17

<210> 44  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (2)..(20)  
 <223> monomers having PS linkages

<220>  
 <221> misc\_feature  
 <222> (18)..(20)  
 <223> 2'-O-Me containing monomers

<400> 44  
 uuugucucug guccuuacuu

20

<210> 45  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (2)..(20)  
 <223> monomers having PS linkages

<220>  
 <221> misc\_feature  
 <222> (16)..(20)  
 <223> 2'-O-Me containing monomers

<400> 45  
 ucucuggucc uuacuucccc 20

<210> 46  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (2)..(20)  
 <223> monomers having PS linkages

<220>  
 <221> misc\_feature  
 <222> (4)..(7)  
 <223> 2'-O-Me containing monomers

<220>  
 <221> misc\_feature  
 <222> (17)..(20)  
 <223> 2'-O-Me containing monomers

<400> 46  
 uuugucucug guccuuacuu 20

<210> 47  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(19)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (7)..(8)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (10)..(10)  
 <223> 5-methyl cytidine

<400> 47  
 cugcuagccu cuggauuugt t 21

<210> 48  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (3)..(21)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (15)..(16)  
 <223> 5-methyl cytidine

<220>  
 <221> misc\_feature  
 <222> (21)..(21)  
 <223> 5-methyl cytidine

<400> 48  
 ttgacgaucg gagaccuaaa c

21

<210> 49  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(20)  
 <223> 2'-F containing monomers with PO linkages

<400> 49  
 uuugucucug guccuuacuu

20

<210> 50  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(20)  
 <223> 2'-F containing monomers with PO linkages

```

<400> 50
aaacagagac caggaaugaa 20

<210> 51
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> 2'-F containing monomers with PS linkages

<400> 51
uuugucucug guccuuacuu 20

<210> 52
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (18)..(20)
<223> monomers with PS linkages

<400> 52
uuugucucug guccuuacuu 20

<210> 53
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(11)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>

```

<221> misc\_feature  
 <222> (15)..(20)  
 <223> monomers with PS linkages

<400> 53  
 uuugucucug guccuuacuu

20

<210> 54  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (6)..(8)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (9)..(20)  
 <223> monomers with PS linkages

<400> 54  
 uuugucucug guccuuacuu

20

<210> 55  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(2)  
 <223> monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (3)..(5)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (6)..(20)  
 <223> monomers with PS linkages

<400> 55  
 uuugucucug guccuuacuu

20

<210> 56  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (4)..(20)  
 <223> Monomers with PS linkages

<400> 56  
 uuugucucug guccuuacuu 20

<210> 57  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(17)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (18)..(20)  
 <223> 2'-F containing monomers with PS linkages

<400> 57  
 uuugucucug guccuuacuu 20

<210> 58  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(8)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (9)..(11)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (12)..(20)  
 <223> Monomers with PS linkages

<400> 58  
 uuugucucug guccuuacuu 20

<210> 59  
 <211> 20

<212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(15)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (16)..(20)  
 <223> 2'-F containing monomers with PS linkages

<400> 59  
 uuugucucug guccuuacuu

20

<210> 60  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(2)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (3)..(5)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (3)..(5)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (6)..(20)  
 <223> Monomers with PS linkages

<400> 60  
 uuugucucug guccuuacuu

20

<210> 61  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(2)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature

```

<222> (3)..(5)
<223> 2'-F containing monomers with PO linkages

<220>
<221> misc_feature
<222> (6)..(11)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(20)
<223> Monomers with PS linkages

<400> 61
uuugucucug guccuacuu 20

<210> 62
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (4)..(20)
<223> Monomers with PS linkages

<400> 62
uuugucucug guccuacuu 20

<210> 63
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (4)..(17)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (18)..(19)
<223> 2'-F containing monomers with PS linkages

<220>

```

<221> misc\_feature  
 <222> (20)..(20)  
 <223> Monomers with PS linkages

<400> 63  
 uuugucucug guccuuacuu

20

<210> 64  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> 2'-F containing monomers

<220>  
 <221> misc\_feature  
 <222> (18)..(19)  
 <223> 2'-F containing monomers

<400> 64  
 uuugucucug guccuuacuu

20

<210> 65  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> Monomer with PS linkage

<220>  
 <221> misc\_feature  
 <222> (5)..(7)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (8)..(13)  
 <223> Monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (14)..(16)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (17)..(17)  
 <223> Monomer with PS linkage

<220>  
 <221> misc\_feature  
 <222> (18)..(19)  
 <223> 2'-F containing monomers with PS linkages

<220>  
 <221> misc\_feature  
 <222> (20)..(20)  
 <223> Monomer with PS linkage

<400> 65  
 uuugucucug guccuuacuu

20

<210> 66  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (1)..(2)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> 2'-OMe

<220>  
 <221> misc\_feature  
 <222> (4)..(5)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (6)..(7)  
 <223> 2'-OMe

<220>  
 <221> misc\_feature  
 <222> (8)..(12)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (13)..(15)  
 <223> 2'-OMe

<220>  
 <221> misc\_feature  
 <222> (16)..(18)  
 <223> 2'-F containing monomers with PO linkages

<220>  
 <221> misc\_feature  
 <222> (19)..(20)  
 <223> 2'-OMe

<400> 66  
 cugcuagccu cuggauuugu t

21

<210> 67  
 <211> 20  
 <212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (1)..(20)

<223> PS linkages

<220>

<221> misc\_feature

<222> (8)..(9)

<223> 2'-F containing monomers

<220>

<221> misc\_feature

<222> (12)..(13)

<223> 2'-F containing monomers

<220>

<221> misc\_feature

<222> (18)..(20)

<223> 2'-OMe

<400> 67

uuugucucug guccuuacuu

20

<210> 68

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 68

uucauuccug gucucuguuu

20

<210> 69

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (1)..(3)

<223> 2'-methoxyethoxy

<400> 69

uucauuccug gucucuguuu

20

<210> 70

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

```

<221> misc_feature
<222> (4)..(6)
<223> 2'-methoxyethoxy

<400> 70
uucauuccug gucucuguuu 20

<210> 71
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-methoxyethoxy

<400> 71
uucauuccug gucucuguuu 20

<210> 72
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-methoxyethoxy

<400> 72
uucauuccug gucucuguuu 20

<210> 73
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-methoxyethoxy

<400> 73
uucauuccug gucucuguuu 20

<210> 74
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```

<220>  
 <221> misc\_feature  
 <222> (16)..(18)  
 <223> 2'-methoxyethoxy

<400> 74  
 uucauuccug gucucuguuu

20

<210> 75  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<220>  
 <221> misc\_feature  
 <222> (18)..(20)  
 <223> 2'-methoxyethoxy

<400> 75  
 uucauuccug gucucuguuu

20